

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 6757 (1972): Dimensions for high tension cable terminations for X-ray tubes [LITD 4: Electron Tubes and Display Devices]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE






Indian Standard

DIMENSIONS FOR HIGH TENSION CABLE TERMINATIONS FOR X-RAY TUBES

“पुनर्विज्ञापित १९९५”
“RE-AFFIRMED 1995”

1. Scope — Dimensions for high tension cable terminations for being attached to high tension cable for X-ray tubes and for use with X-ray tube shield fitted with receptacle conforming to IS : 6758-1972 ‘Dimensions for high tension receptacles for X-ray tubes’.

2. Dimensions



Note 1 — Non-significant dimensions other than those that are essential for interchangeability are not specified.

Note 2 — Socket terminal marking in clockwise direction looking at the terminals indicate:

C = Common
S = Small focus
L = Large focus

Note 3 — Socket terminals may additionally be marked with the following:

Common = 0 or blue dot
Small focus = I or black dot
Large focus = II or red dot